EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	319	categor\$6 with visualizat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 16:39
L2	207	categor\$6 with hierarch\$4 with map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 16:47
L3	45	(categor\$6 with hierarch\$4 with map\$4) and ((root or leaf) with node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 16:43
L4	854	("non-leaf" with node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 16:44
L5	5	("non-leaf" with node\$1) with arc\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/10/25 16:45
L6	856	("non-leaf" with (node\$1 or arc\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 16:46
L7	16	("non-leaf" with (node\$1 or arc\$1)) and ("sub-category" or "sub-categories")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 16:47
L8	15	("non-leaf" with (node\$1 or arc\$1)) and ("sub-category" or "sub-categories") and hierarch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 16:48



Home | Login | Logout | Access Information | Alerts | Purchase History | ** Cart | Sitema

Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Thu, 25 Oct 2007, 6:47:29 PM EST

Search Query Display

and node)

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

•							
	<u> </u>						
Recent Search Queries							
	#1	((measure <near 2=""> similarity)<in>metadata)</in></near>					
	<u>#2</u>	((((measure < near/2 > similarity) < in > metadata)) < AND > ((measure < near/2 > similarity) < in > metadata) and categor*)					
	<u>#3</u>	(((((((measure <near 2=""> similarity)<in>metadata))<and>((measure <near 2=""> similarity)<in>metadata) and categor*))<and>((((measure <near 2=""> similarity) <in>metadata))<and>((measure <near 2=""> similarity)<in>metadata) and categor*) and leaf node and non-leaf node)</in></near></and></in></near></and></in></near></and></in></near>					
	#4	(((((((measure <near 2=""> similarity)<in>metadata))<and>((measure <near 2=""> similarity)<in>metadata) and categor*))<and>((((measure <near 2=""> similarity) <in>metadata))<and>((measure <near 2=""> similarity)<in>metadata) and categor*) and leaf node and non-leaf node)</in></near></and></in></near></and></in></near></and></in></near>					
	<u>#5</u>	((((measure <near 2=""> similarity)<in>metadata))<and>((measure <near 2=""> similarity)<in>metadata) and categor*)</in></near></and></in></near>					
•	<u>#6</u>	((measure <near 2=""> similarity)<in>metadata)</in></near>					
	#7.	((((measure <near 2=""> similarity)<in>metadata))<and>((measure <near 2=""> similarity)<in>metadata) and category)</in></near></and></in></near>					
		/////managura canag/2> aimilagiby/cia>matadata}\canda//managura canag/2>					

similarity)<in>metadata) and calegory))<AND>((((measure <near/2> similarity) <in>metadata))<and>((measure <near/2> similarity)<in>metadata) and category)

(((((((((measure <near/2> similarity)<in>metadata))<and>((measure <near/2> similarity)<in>metadata) and category))<and>((((measure <near/2> similarity)<in>metadata))<and>((measure <near/2> similarity)<in>metadata) and category) and node))<AND>((((((measure <near/2> similarity)<in>metadata))<and>>

(((measure <near/2> similarity)<in>metadata) and category))<and>((((measure <near/2> similarity)<in>metadata))<and>((measure <near/2> similarity)

<in>metadata) and category) and node) and arc)

Indexed by

Help Contact Us Privacy & Security

Copyright 2006 IEEE - All Right

Web Images Video News Maps Gmail more v

Sign in

Google

category visualization display leaf root child no Search

Advanced Search

Web Results 1 - 10 of about 151 for category visualization display leaf root child non-leaf nodes arcs. (0.30 seconds

Tip: Save time by hitting the return key instead of clicking on "search"

Method and system for visualization of clusters and ...

Each non-leaf node has two arcs that connect the non-leaf node to the two two child nodes because the root node represents the combined category that ... www.patentstorm.us/patents/6216134-description.html - 79k - Cached - Similar pages

EP1088281 Microsoft european software patent - Method and system ... An embodiment of the present invention provides a category visualization ... Each nonleaf node has two arcs that connect the non-leaf node to the two nodes ... gauss.ffii.org/PatentView/EP1088281 - 84k - Cached - Similar pages

Apparatus and accompanying methods for visualizing clusters of ... Each non-leaf node has two arcs that connect the non-leaf node to the two When the user selects a top-down browse, root node 319 and its two child ... www.freepatentsonline.com/6742003.html - 154k - Cached - Similar pages

Visualizing Hierarchies and Collection Structures with Fractal Trees non-leaf nodes are mapped to branches and child. nodes to sub-branches. ... variant of the 3-d fractal tree visualization and category ... ieeexplore.ieee.org/iel5/10607/33516/01592198.pdf?arnumber=1592198 - Similar pages

Interactive hierarchical dimension ordering, spacing and filtering ... display. It is essential for visualizing high dimensional datasets. ordering the children. of non-leaf nodes of the dimension hierarchy. ... ieeexplore.ieee.org/iel5/8837/27965/01249015.pdf - Similar pages [More results from ieeexplore ieee.org]

[PDF] InterRing: An Interactive Tool for Visually Navigating and ...

File Format: PDF/Adobe Acrobat - View as HTML

Child nodes are drawn within the arc subtended by their par- ... The sweep angle of a nonleaf node is the aggregation of all. its children. ... davis.wpi.edu/~xmdv/docs/ring.pdf - Similar pages

NicheWorks - Interactive Visualization of Very Large Graphs

Using NicheWorks to display standardized correlations allows the user to get a The root node (R) is drawn at the center, with its children on a circle ... www.willsfamily.org/gwills/NICHEguide/nichepaper.html - 33k - Cached - Similar pages

IPDFI A Multi-Perspective Software Visualization Environment

File Format: PDF/Adobe Acrobat - View as HTML

When being magnified, a selected non-leaf node, will open to display its children nodes if they are not already visible; a selected leaf node will open ... www.cs.uvic.ca/~chisel/pubs/p15-wu.pdf - Similar pages

Pruning and Visualizing Generalized Association Rules in Parallel ...

is a directed tree whose leaf nodes are items and whose nonleaf nodes are item categories. We call an item category \$\acute{a}\$... doi.ieeecomputersociety.org/10.1109/TKDE.2005.14 - Similar pages

Interactive Hierarchical Dimension Ordering, Spacing and Filtering ... ter; child nodes are drawn within the arc subtended by their parents,. and the sweep angle of a non-leaf node is equal to the aggregation ... doi.ieeecomputersociety.org/10.1109/INFVIS.2003.1249015 - Similar pages [More results from doi.ieeecomputersociety.org]

> 1 <u>2 3 4 5 6 7 8 9 10</u> Next

Try Google Desktop: search your computer as easily as you search the web.

category visualization display leaf ro

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Patent Storm

Home

Browse by Inventor

Browse by Date

Links

Contact Us

Type your search term here





United States Patent 6216134

Method and system for visualization of clusters and classifications

US Patent Issued on April 10, 2001

Inventor(s)

AB

CLAIMS

IS DESCRIPTION

FULL TEX

Ads by Google

iiiveiitoi (s

David E, Heckerman
Christopher A, Meek
David Maxwell Chickering

Usama M. Fayyad

Data Mining

websites to your database extracting meaningful intelligence www.data-mining.ws

Assignee

Application

Microsoft Corporation

Design & Engineering -NYC

20 yrs of Award Winning Products. Design, FEA, Patent Analysis www.inch-inc.com

No. 104751 filed on 1998-06-25

Current US Class

The Growing Tree of Money

707/104.1 . 704/202 . 704/206 . 704/239 . 705/26 . 707/10 . 707/103Y . 707/4 . 707/5

Patent Pending Business Opportunity With an Automated System www.myberrytree.com/bt27704

Field of Search

Abstract

382/225_382/229_701/200_701/202_701/206_701/208_705/9_705/10_705/23_705/26_705/5_706/2_707/10_707/100_707/103_707/2_707/200_707/3_707/4_707/5_709/201_709/219_711/157_711/173_713/200

Examiners

Primary: Hosain T Alam Assistant: Shahid Alam

Attorney, Agent or Firm

Michaelson & Wallace, Michaelson; Peter L.

A system that provides for the graphic visualization of the categories of a collection of records. The graphic visualization is referred to as "category graph." The <u>system</u> optionally displays the category graph as a "similarity graph" or a "hierarchical map." When displaying a category graph, the system displays a graphic representation of each category. The system displays the category graph as a similarity graph or a hierarchical map in a way that visually illustrates the similarity between categories. The display of a category graph allows a data analyst to better understand the similarity and dissimilarity between categories. A similarity graph includes a node for each category and an arc connecting nodes representing categories whose similarity is above a threshold. A hierarchical map is a tree structure that includes a node for each base category

Bizarre Patents

Patent No. 5,356,330

Apparatus for Simulating a Fig. 4 self-righting hand-arm con adapted to pivot when statements thereby simulating a "high fivo

US Patent References	along with nodes representing combinations of similar categories.
5506986	
5537586	
<u>5742816</u>	Other References
5758072	Brunk, Cliff et al., "MineSet: An Integrated System for Data Mining," Data Mining
5768578	and Visualization, AAAI Press, 1997.
<u>5787414</u>	Cheeseman et al., "Bayesian Classification AutoClass: Theory and Results,"
5832484	Advances in Knowledge Discovery and Data Mining, AAAI Press, 1995.
<u>5835905</u>	Chickering, David Maxwell et al., A Bayesian Approach to Learning Bayesian
<u>5850516</u>	
5873099	Networks with Local Structure [Web Page] 1997;
<u>5903892</u>	. http://www.lis.pitt.edu/~dsl/UAI97/Chickering.UAI97.html[Accessed Jun. 17,
<u>5911139</u>	1998].
<u>5913205</u> <u>5915250</u>	Duda, Richard O. and Peter E. Hart, "Pattern Classification and Scene
<u>5920873</u>	Analysis," John Wiley ans Sons, London, 1973, Chapters 2,4-6, pp. 10-43 and
. 5953725	85-260.
5991756	Heckerman, David E. Probabilistic Similarity Networks, MIT Press, 1990,
6006230	Chapter 3 "Theory of Similarity Networks", pp. 53-103.
6038559	Johnson, Richard A. Dean W. Wichern, Applied Multivariate Statistical Analysis
6088717	Prentice-Hall, Inc., Englewood Cliffs, New Jersey, 1982, Chapter 11,
6094654	"Clustering", pp. 532-560.
	Rasmussen, Edie, "Clustering Algorithms," in William B. Frakes and Ricardo
Foreign Patent References	Baeza-Yates (eds.) Information Retrieval: Data Structures and Algorithms,
WO 90/04231 WO Apr., 1990	Prentice Hall, Englewood Cliffs, New Jersey, 1992, pp. 419-442.
WO 95/31788 WO Nov., 1995	Schachter, Ross D. and Mark A. Peot, "Simulation Approaches to General
WO 95/34884 WO Dec., 1995	Probablistic Interface on Belief Networks," in Max Herrion et al. (eds.),
WO 96/28787 WO Sep., 1996	Uncertainty in Artificial Intelligence 5, Elsevier Science Publishers B.V., North
110 30/20/01 110 COp., 1000	Holland, 1990, pp. 221-231.
	Spiegelhalter, David J. and Robin P. Knill-Jones "Statistical and Knowledge-
•	based Approaches to Clinical Decision-support Systems, with an Application in
	Gastroenterology," Journal of the Royal Statistical Society, 147:35-77, 1984.

Home | Browse by Inventor | Browse by Date | Resources | Contact Us

© 2004-6 Patent Storm LLC. All rights reserved.

Semio Corporation, [Alta Vista Site] 1998; http://www.semio.com.